


Cut n' Paste Review Instructions

- ① Copy Double sided packet w/ Name _____ Class _____ front to back on 1 color regular copy paper.
- ② Copy Answer Boxes SINGLE SIDE ONLY on a different color cardstock. This helps if a student glues on wrong place. It doesn't pull apart/tear like copy paper.
- ③ Get a class set of scissors + glue sticks.
- ④ Hand Answer Boxes out to students. Tell them not to do a thing until told to do so. Have them cut each page seperately up + down the center of the boxes. DO NOT cut off the margin area or through the margin area... EVER!!
- ⑤ At this point I have them initial in the margin of all 6 halves of Answer Boxes. This way they won't mix theirs up w/ another student. ☺

- ⑥ Now hand out the Test Review that they will glue the boxes on to. Only cut out the individual answer box just as it will be glued onto the review. There are only 6 pieces of paper to keep track of rather than 75 little pieces that could get mixed up w/ another student. NEVER cut through the margin!!! There's always 1!

Name: _____

Class: _____

Child Development State Test Review

Use the information you have been given to fill in the appropriate information in each empty box whether it is a question or an answer.

Questions

Answers

1. What are the responsibilities of parents?	
2. What is "bonding"? Why is it so important for newborns?	
3.	Let children know when their behavior is appropriate.
4.	He developed the "Eight Stages of Man" or Emotional Development.
5. The first stage of the above Erik Erikson's theory is:	
6. What did Piaget develop?	
7. What is Piaget's first level? What does it mean when teaching infants?	
8. Where does fertilization take place?	
9.	They each have 23 chromosomes.
10. The <i>fertilized</i> egg has how many chromosomes?	
11.	This happens when the 21 st chromosome has a triplet rather than a pair.
2.	Occurs when the mother has a deficiency of Folic Acid at the time she becomes pregnant.

13. As far as gender is concerned, the male can contribute what?	
14.	These are the weaker genes that will only produce a trait if there are two of them.
15.	24 to 30 pounds
16.	40 weeks
17. Amniocentesis is:	
18.	Twins that result from two separate eggs fertilized at the same time.
19. "Stillborn" is when:	
20.	Women over 40 and teenagers
21. What is FAS?	
22. Identical twins occur when:	
23.	Sudden wt gain and high blood pressure which pose danger for both mother and fetus.
24. What is the correct order of prenatal development?	

25.	The connection between the fetus and the placenta.
26. What is the purpose of the placenta?	
27.	This guards against jolts and keeps the fetus at a constant temperature.
30. What is the period of greatest risk for fetus if mom takes drugs or medications?	
31. These allow the bones of the baby's head to move during delivery.	
32.	First Stage of Labor
33.	SIDS
34.	Lift the head, roll over, sit up, and then crawl.
35. When a baby's brain is endangered by strong movements within the skull it is:	
36. Newborns learn primarily through their:	
37. Walking marks the beginning of what childhood stage:	
38.	XX
39. Explain what happens during the third stage of labor:	

40. An epidural is:	
41.	This is the word for guidance which helps the child learn self-control.
42.	Children will feel more secure if parents are (this) when they are disciplining.
43. When children are aggressive, how should parents respond?	
44. Natural consequences are:	
45. Logical consequences should be:	
46.	This is when the parent distracts a child's misbehavior by giving them something else.
47. What are communicable diseases?	
48. What can be done to prevent the spread of the above?	
49.	In the center back seat of the car.
50.	Apply direct pressure.

51.	Gross Motor Skills
52. What is social/emotional development?	

53.	Term which means a child sees the world only in terms of how it affects them.
54. What age-group views the world only as it affects them?	
55. Parents can help develop this in their child if they are trusting and loving.	
56. These two terms can be used interchangeably—refer to child's brain development.	
57.	Baby Talk
58. Studies have found that crawling is directly related to a child's ability to:	
59. Speaking correctly to children helps them learn:	
60. Human growth proceeds from simple to:	
61.	OB/GYN
62.	Fontanel's.
63. Apgar refers to:	

64. Stranger anxiety is:	
65.	Object Permanence.

66. Play is a child's:	
67. Back to sleep, avoid pillows, stuffed animals, soft bedding.	
68.	Toilet Training
69.	Parallel Play
70. Five-year-olds should have the fine motor skills to:	
71.	May have imaginary friends and are learning to cooperate and Share.
72. Playing together to obtain a specific goal is:	
73.	Sexual, physical, emotional, and neglect.
74.	Be understanding, listen to, and comfort the child.
75.	Read to them.

Answer Boxes

Fraternal Twins	Amniotic Fluid
Soft portions of the skull which allow the baby's head to change shape for delivery.	Shaken Baby Syndrome
Neural Tube Syndrome Spina Bifida	Erik Erickson
"Discipline"	This is the longest when the cervix dilates from 0 to 10 centimeters.
Each mature sperm and egg cells have	Redirection
Complex	Are symptoms that may indicate Toxemia, Hypertension endangering mother and child.
A positive self-image and self-concept	Test done after delivery to test newborn's ability to survive outside the womb.
Are often at risk for complications to the baby or mother.	Provide for their children physically, financially, socially, and emotionally.
When the infant becomes afraid of visitors who they don't see often.	WORK!
The first trimester—when the baby is being developed.	What can be done to help lower the risk of Sudden Infant Death Syndrome?
This is play where children play side by side but are not actually playing together.	To promote a child's positive self-concept.
Umbilical Cord	CONSISTENT—They follow through and do what they said they would do.
Loving and touching necessary for the newborn to develop trust.	The results that occur without interference. Ex: touch a hot stove=burn

This is one of the greatest challenges for a two-year-old to learn.	Term for knowing an object exists even when it is out of sight.
Prenatal period or pregnancy lasts this length of time.	Four-year-olds.
The process of learning to get along with others.	Sensory-Motor: Infants learn primarily through their senses. Give them sensory experiences.
Both "X" and "Y"	Immunizations prevent the spread of communicable disease--give before 2 years.
Toddlers	Correct speech patterns.
Most common method of anesthesia for painless childbirth.	A needle is inserted into uterus to withdraw fluid to detect infant condition.
Speaking correctly to children helps teach correct speaking. Parents should not use:	The various types of abuse:
Cooperative Play	They should respond in non-aggressive ways. If they hit, they teach hitting.
He defined the cognitive/intellectual learning development.	Fontanelles
One fertilized egg splits soon after fertilization.	A doctor for women that provides personal health care. Also, they deliver the baby.
Consequences parents give children that are relevant to their misbehavior.	Fetal Alcohol Syndrome--Mother consumes alcohol during pregnancy.
Children, like adults experience stress and fear. How should a parent deal with this?	Recessive
Learn to read.	What is the best first-aid for a wound that is gushing blood?

46 chromosomes or 23 pairs	This is the normal progression of infant physical development.
Ego-centric	Intelligence & Cognition
A full-term, fully-developed baby is born dead.	Where is the safest place for a child car seat?
Sudden Infant Death Syndrome	It is recommended that a pregnant woman gain this amount.
Tie their own shoes, cut with scissors, and write letters.	The best way to help a children learn to read and enjoy it is to:
The Fallopian Tube	Senses
Zygote, Embryo, Fetus	Diseases which can be passed from one person to another.
This genetic combination would mean that the child is a girl.	Down's Syndrome
The afterbirth or placenta is delivered.	Movements of the large muscle groups: legs and arms.
Trust versus Mistrust A child needs to develop trust or they will mistrust.	Toddlers/Two-year-olds
Organ that develops to filter nutrients and oxygen for the fetus.	

Name: _____

Class: Key

Child Development State Test Review

Use the information you have been given to fill in the appropriate information in each empty box whether it is a question or an answer.

Questions

Answers

Questions	Answers
1. What are the responsibilities of parents?	Provide for their children physically, financially, socially, and emotionally.
2. What is "bonding"? Why is it so important for newborns?	Loving and touching necessary for the newborn to develop trust.
3. To promote a child's positive self-concept.	Let children know when their behavior is appropriate.
4. Erik Erickson	He developed the "Eight Stages of Man" or Emotional Development.
5. The first stage of the above Erik Erikson's theory is:	5. Trust versus Mistrust: A child needs to develop trust or they will mistrust.
5. What did Piaget develop?	6. He defined the cognitive/intellectual learning development.
7. What is Piaget's first level? What does it mean when teaching infants?	7. Sensory-Motor: Infants learn primarily through their senses. Give them sensory experiences.
8. Where does fertilization take place?	8. The Fallopian Tube
9. Each mature sperm and egg cells have	They each have 23 chromosomes.
10. The fertilized egg has how many chromosomes?	10. 46 chromosomes or 23 pairs
11. Down's Syndrome	This happens when the 21 st chromosome has a triplet rather than a pair.
12. Neural Tube Syndrome Spina Bifida	Occurs when the mother has a deficiency of Folic Acid at the time she becomes pregnant.

<p>13. As far as gender is concerned, the male can contribute what?</p>	<p>13 Both "X" and "Y"</p>
<p>14 Recessive</p>	<p>These are the weaker genes that will only produce a trait if there are two of them.</p>
<p>15 It is recommended that a pregnant woman gain this amount.</p>	<p>24 to 30 pounds</p>
<p>16 Prenatal period or pregnancy lasts this length of time.</p>	<p>40 weeks</p>
<p>17. Amniocentesis is:</p>	<p>17 A needle is inserted into uterus to withdraw fluid to detect infant condition.</p>
<p>18 Fraternal Twins</p>	<p>Twins that result from two separate eggs fertilized at the same time.</p>
<p>19. "Stillborn" is when:</p>	<p>19 A full-term, fully-developed baby is born dead.</p>
<p>20 Are often at risk for complications to the baby or mother.</p>	<p>Women over 40 and teenagers</p>
<p>21. What is FAS?</p>	<p>21 Fetal Alcohol Syndrome— Mother consumes alcohol during pregnancy.</p>
<p>22. Identical twins occur when:</p>	<p>22 One fertilized egg splits soon after fertilization.</p>
<p>23 Are symptoms that may indicate Toxemia, Hypertension endangering mother and child.</p>	<p>Sudden wt gain and high blood pressure which pose danger for both mother and fetus.</p>
<p>24. What is the correct order of prenatal development?</p>	<p>24 Zygote, Embryo, Fetus</p>

25	Umbilical Cord	The connection between the fetus and the placenta.
26.	What is the purpose of the placenta?	Organ that develops to filter nutrients and oxygen for the fetus.
27	Amniotic Fluid	This guards against jolts and keeps the fetus at a constant temperature.
30.	What is the period of greatest risk for fetus if mom takes drugs or medications?	The first trimester—when the baby is being developed.
31.	These allow the bones of the baby's head to move during delivery.	Fontanelles
32	This is the longest when the cervix dilates from 0 to 10 centimeters.	First Stage of Labor
33	Sudden Infant Death Syndrome	SIDS
34	This is the normal progression of infant physical development.	Lift the head, roll over, sit up, and then crawl.
35.	When a baby's brain is endangered by strong movements within the skull it is:	Shaken Baby Syndrome
36.	Newborns learn primarily through their:	Senses
37.	Walking marks the beginning of what childhood stage:	Toddlers
38	This genetic combination would mean that the child is a girl.	XX
39.	Explain what happens during the third stage of labor:	The afterbirth or placenta is delivered.

40. An epidural is:	40 Most common method of anesthesia for painless childbirth.
41 "Discipline"	This is the word for guidance which helps the child learn self-control.
42 CONSISTENT - They follow through and do what they said they would do.	42 Children will feel more secure if parents are (this) when they are disciplining.
43. When children are aggressive, how should parents respond?	43 They should respond in non-aggressive ways. If they hit, they teach hitting.
44. Natural consequences are:	44 The results that occur without interference. Ex: touch a hot stove = burn
45. Logical consequences should be:	45 Consequences parents give children that are relevant to their misbehavior.
46 Redirection	This is when the parent distracts a child's misbehavior by giving them something else.
47. What are communicable diseases?	47 Diseases which can be passed from one person to another.
48. What can be done to prevent the spread of the above?	48 Immunizations prevent the spread of communicable disease -- give before 2 years.
49 Where is the safest place for a child car seat?	49 In the center back seat of the car.
50 What is the best first-aid for a wound that is gushing blood?	50 Apply direct pressure.

51 Movements of the large muscle groups: legs and arms.	Gross Motor Skills
52. What is social/emotional development?	52 The process of learning to get along with others.

53 Ego-centric	Term which means a child sees the world only in terms of how it affects them.
54. What age-group views the world only as it affects them?	54 Toddlers/Two-year-olds
55. Parents can help develop this in their child if they are trusting and loving.	55 A positive self-image and self-concept
56. These two terms can be used interchangeably—refer to child's brain development.	56 Intelligence & Cognition
Speaking correctly to children helps teach correct speaking.	Baby Talk
57. Parents should not use:	e:
58. Studies have found that crawling is directly related to a child's ability to:	58 Learn to read.
59. Speaking correctly to children helps them learn:	59 Correct speech patterns.
60. Human growth proceeds from simple to:	60 Complex
61. A doctor for women that provides personal health care. Also, they deliver the baby.	OB/GYN
62. Soft portions of the skull which allow the baby's head to change shape for delivery.	Fontanel.
63. Apgar refers to:	Test done after delivery to test newborn's ability to survive outside the womb.

64. Stranger anxiety is:	64 When the infant becomes afraid of visitors who they don't see often. <i>d.</i>
65. Term for knowing an object exists even when it is out of sight.	Object Permanence.

66. Play is a child's:	66 WORK!
67. Back to sleep, avoid pillows, stuffed animals, soft bedding.	67 What can be done to help lower the risk of Sudden Infant Death Syndrome?
68 This is one of the greatest challenges for a two-year-old to learn.	Toilet Training
This is play where children play side by side but are not actually playing together.	69 Parallel Play
70. Five-year-olds should have the fine motor skills to:	70 Tie their own shoes, cut with scissors, and write letters.
Four-year-olds.	May have imaginary friends and are learning to cooperate and Share.
72. Playing together to obtain a specific goal is:	72 Cooperative Play
73 The various types of abuse:	Sexual, physical, emotional, and neglect.
Children, like adults experience stress and fear. How should a parent deal with this?	Be understanding, listen to, and comfort the child.
The best way to help a children learn to read and enjoy it is to:	Read to them.